

## 5.4: Writing Equations of Lines in Standard Form

**Goals:** \*Write equivalent standard form equations  
\*Write equations in standard form  
\*Complete standard form equations  
\*Use standard form equations to solve combination problems

---

### STANDARD FORM!

$$Ax + By = C$$

\*A is always the coefficient of  $x$   
\*B is always the coefficient of  $y$   
\*C is always the constant  
\*Want A to be positive and also no fractions or decimals

#### 1. Write equivalent equations in standard form:

For each equation write two equivalent standard form equations:

**Ex:**  $2x - 6y = 4$

$$\begin{aligned}x - 3y &= 2 \\ 4x - 12y &= 8\end{aligned}$$

**Ex:**  $x - y = 3$


$$\begin{aligned}2x - 2y &= 6 \\ 3x - 3y &= 9\end{aligned}$$

**Ex:**  $x + 4y = 3$

$$\begin{aligned}2x + 8y &= 6 \\ 3x + 12y &= 9\end{aligned}$$

#### 2. Write equations in standard form with given information.

**Ex:**



$$m = \frac{-2-1}{2-1} = \frac{-3}{1} = -3$$

$$y = mx + b$$

$$1 = -3(1) + b$$

$$1 = -3 + b$$

$$\begin{array}{r} +3 \quad +3 \\ 1 = -3 + b \\ \hline 4 = b \end{array}$$

$$y = -3x + 4$$

$$\begin{array}{r} +3x \quad +3x \\ y = -3x + 4 \\ \hline 3x + y = 4 \end{array}$$

$$3x + y = 4$$

**Ex:** passes through (3, -1) (2, -3)

$$2x - y = 7$$

**Ex:** passes through (2, 2) (4, -2)

$$2x + y = 6$$

When you put this equation in standard form it is

$-2x + y = -7$ , but A should be positive so multiply everything

by  $-1$ .

**Ex:** Your class is taking a trip to the public library. You can travel in small and large vans. A small van holds 8 people and a large van holds 12 people. One possible way your class could get there is to fill 15 small vans and 2 large vans.

- Write an equation to model all of the possible combinations of small and large vans your class could take. **If one possibility is 15 small vans and 2 large vans then multiply 15 and 8 and 12 and 2 to find the total number of people that need to go.**

$$8x + 12y = 144$$


- Graph the equation.
- Use your graph to find more possible combinations of vans.

**12 small vans, 4 large vans**

**0 small vans, 12 large vans**

**18 small vans, 0 large vans**

**6 small vans, 8 large vans**



**Ex:** At a flea-market t-shirts cost \$4.50 and shorts cost \$6. You have enough money that if you wanted to you could buy exactly 12 t-shirts and 9 pairs of shorts.

- Write an equation to model all of the possible combinations of t-shirts and shorts that you can buy.

$$4.5x + 6y = 108$$

- Graph the equation.
- List the possible combinations of t-shirts and shorts you can buy.

**0 T-Shirts, 18 shorts**

**24 T-shirts, 0 shorts**

**16 T-shirts, 6 shorts**

**8 T-shirts, 12 shorts**

